

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6594712".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 18:58
S2	0	"6594712".pn. and tcp\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 18:57
S3	179	rdma and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 18:59
S4	189	(rdma or (remote near direct near memory near access)) and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:13
S5	64	(rdma or (remote near direct near memory near access)) and tcp\$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:02
S6	45	(rdma or (remote near direct near memory near access)) and tcp\$4 and (map\$4 or correlat\$4 or translat\$4) and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:01
S7	20	(rdma or (remote near direct near memory near access)) and tcp\$4 and (map\$4 or correlat\$4 or translat\$4) same queue\$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:09

EAST Search History

S8	0	(rdma or (remote near direct near memory near access)) and (map\$4 or correlat\$4 or translat\$4) near15 (tcp\$4 or IP)same queue\$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:06
S9	140	(map\$4 or correlat\$4 or translat\$4) near15 (tcp\$4 or IP)same queue\$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:06
S10	140	(map\$4 or correlat\$4 or translat\$4) near15 (tcp\$4 or ip)same queue\$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:11
S11	11	(map\$4 or correlat\$4 or translat\$4) near15 (tcp\$4 or ip)same queue\$1 near10 server\$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:50
S12	5	(adapter or router or gateway or switch) near15(map\$4 or correlat\$4 or translat\$4) near15 queue\$1 near10 server\$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:53
S13	16	(map\$4 or correlat\$4 or translat\$4) near15 connection\$1 near15 queue\$1 near3 (number\$1 or id\$1 or identifier\$1) and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:54
S14	53	(rdma or (remote near direct near memory near access)) and client\$1 and server\$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:03
S15	25	(rdma or (remote near direct near memory near access)) and client\$1 and server\$1 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:03

EAST Search History

S16	22	(rdma or (remote near direct near memory near access)) and client\$1 and server\$1 and queue\$1 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:16
S17	14	(rdma or (remote near direct near memory near access)) and client\$1 and server\$1 and work near queue\$1 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:37
S18	2	(rdma or (remote near direct near memory near access)) and client\$1 and server\$1 and work near queue\$1 and tcp\$4 and infiniband and (@ad<"20010215" or @rlad<"20010215"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:45
S19	4	(rdma or (remote near direct near memory near access)) and server\$1 and work near queue\$1 and tcp\$4 and infiniband and (@ad<"20010215" or @rlad<"20010215"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:50
S20	0	server\$1 and work near queue\$1 same (ip or source) near2 address\$2 and tcp\$4 and infiniband and (@ad<"20010215" or @rlad<"20010215"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:50
S21	2	(rdma or (remote near direct near memory near access)) and server\$1 and work near queue\$1 same (ip or source) near2 address\$2 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:53
S22	2	(rdma or (remote near direct near memory near access)) and work near queue\$1 same (ip or source) near2 address\$2 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:55
S23	3	server\$1 and work near queue\$1 same (ip or source) near2 address\$2 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:54

EAST Search History

S24	9	server\$1 and (work near queue\$1 or WQ\$2) same (ip or source) near2 address\$2 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:58
S25	8	(rdma or (remote near direct near memory near access)) and ((work near queue\$1) or WQ\$3) same (ip or source) near2 address\$2 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:55
S26	9	(work near queue\$1 or WQ\$2) same (ip or source) near2 address\$2 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:59
S27	14	(work near queue\$1 or WQ\$2) same (ip or source) near2 address\$2 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:59
S28	5	(work near queue\$1 or WQ\$2) same (ip or source) near2 address\$2 and (@ad<"20010215" or @rlad<"20010215") not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:01
S29	5	(work near queue\$1 or WQ\$2) same (ip or source or native) near2 address\$2 and (@ad<"20010215" or @rlad<"20010215") not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:02
S30	5	(work near queue\$1 or WQ\$2) same (ip or source or tcp\$4) near2 address\$2 and (@ad<"20010215" or @rlad<"20010215") not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:02
S31	0	(work near queue\$1 or WQ\$2) same (ip or source or tcp\$4) near2 connection\$1 and (@ad<"20010215" or @rlad<"20010215") not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:02

EAST Search History

S32	2	"6625643".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 16:53
S33	12293	(@ad<"20000407" or @rlad<"20000407") and schedul\$4 near5 (transmi\$6 or broadcast\$4 or deliver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 16:55
S34	7135	(@ad<"20000407" or @rlad<"20000407") and schedul\$4 near5 (transmi\$6 or broadcast\$4 or deliver\$5) and (audienc\$3 or viewer\$1 or subscriber\$1 or receiver\$1 or receip\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 16:56
S35	1258	(@ad<"20000407" or @rlad<"20000407") and schedul\$4 near5 (transmi\$6 or broadcast\$4 or deliver\$5) and (audienc\$3 or viewer\$1 or subscriber\$1 or receiver\$1 or receip\$5) and (transmi\$6 or broadcast\$4 or deliver\$5) near10 cost\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 16:58
S36	690	(@ad<"20000407" or @rlad<"20000407") and schedul\$4 near5 (transmi\$6 or broadcast\$4 or deliver\$5) and (audienc\$3 or viewer\$1 or subscriber\$1 or receiver\$1 or receip\$5) and (transmi\$6 or broadcast\$4 or deliver\$5) near10 cost\$4 and (transmi\$6 or broadcast\$4 or deliver\$5) near10 (condition\$1 or criteria\$1 or option\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:03

EAST Search History

S37	57	(@ad<"20000407" or @rlad<"20000407") and schedul\$4 near5 (transmi\$6 or broadcast\$4 or deliver\$5).ab. and (audienc\$3 or viewer\$1 or subscriber\$1 or receiver\$1 or receip\$5) and (transmi\$6 or broadcast\$4 or deliver\$5) near10 cost\$4 and (transmi\$6 or broadcast\$4 or deliver\$5) near10 (condition\$1 or criteria\$1 or option\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 17:13
S38	3	(@ad<"20000407" or @rlad<"20000407") and schedul\$4 near5 (transmi\$6 or broadcast\$4 or deliver\$5).ab. and (audienc\$3 or viewer\$1 or subscriber\$1 or receiver\$1 or receip\$5) and (transmi\$6 or broadcast\$4 or deliver\$5) near10 cost\$4 and (transmi\$6 or broadcast\$4 or deliver\$5) near10 (condition\$1 or criteria\$1 or option\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 16:59
S39	37	(@ad<"20000407" or @rlad<"20000407") and schedul\$4 near5 (transmi\$6 or broadcast\$4 or deliver\$5).ab. and number\$1 near5 (audienc\$3 or viewer\$1 or subscriber\$1 or receiver\$1 or receip\$5) and (transmi\$6 or broadcast\$4 or deliver\$5) near10 cost\$4 and (transmi\$6 or broadcast\$4 or deliver\$5) near10 (condition\$1 or criteria\$1 or option\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 17:13
S40	2	"7093000".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:13
S41	2	"6810423".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:01

EAST Search History

S42	2	"6898801".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:01
S43	2	"6560221".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:01
S44	888	(@ad<"20000407" or @rlad<"20000407") and schedul\$4 near2 (transmi\$6 or broadcast\$4 or deliver\$5) and (audienc\$3 or viewer\$1 or subscriber\$1 or receip\$5) and (transmi\$6 or broadcast\$4 or deliver\$5) near10 cost\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:04
S45	209	(@ad<"20000407" or @rlad<"20000407") and schedul\$4 near2 (transmi\$6 or broadcast\$4 or deliver\$5) and (audienc\$3 or viewer\$1 or subscriber\$1 or receip\$5) same (transmi\$6 or broadcast\$4 or deliver\$5) near10 cost\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:05
S46	1	(@ad<"20000407" or @rlad<"20000407") and schedul\$4 near2 (transmi\$6 or broadcast\$4 or deliver\$5) and notif\$6 near10(audienc\$3 or viewer\$1 or subscriber\$1 or receip\$5) same (transmi\$6 or broadcast\$4 or deliver\$5) near10 cost\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:04
S47	11	(@ad<"20000407" or @rlad<"20000407") and schedul\$4 near2 (transmi\$6 or broadcast\$4 or deliver\$5).ab. and (audienc\$3 or viewer\$1 or subscriber\$1 or receip\$5) same (transmi\$6 or broadcast\$4 or deliver\$5) near10 cost\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:09

EAST Search History

S48	1	(@ad<"20000407" or @rlad<"20000407") and notif\$6 near15 (publisher\$1 or (content near provider\$1)) near15 (audienc\$3 or viewer\$1 or subscriber\$1 or receipt\$5) same cost\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:13
S49	94	(@ad<"20000407" or @rlad<"20000407") and (publisher\$1 or (content near provider\$1)) near15 (audienc\$3 or viewer\$1 or subscriber\$1 or receipt\$5) same cost\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:12
S50	2	(@ad<"20000407" or @rlad<"20000407") and (publisher\$1 or (content near provider\$1)) near15 number\$1 near2 (audienc\$3 or viewer\$1 or subscriber\$1 or receipt\$5) same cost\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:15
S51	8	(@ad<"20000407" or @rlad<"20000407") and notif\$6 near15 number\$1 near4 (audienc\$3 or viewer\$1 or subscriber\$1 or receipt\$5) same cost\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:13
S52	94	(@ad<"20000407" or @rlad<"20000407") and (publisher\$1 or (content near provider\$1)) near15 (audienc\$3 or viewer\$1 or subscriber\$1 or receipt\$5) same cost\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:15
S53	20	(@ad<"20000407" or @rlad<"20000407") and (publisher\$1 or (content near provider\$1)) near15 (audienc\$3 or viewer\$1 or subscriber\$1 or receipt\$5) same cost\$4 same (transmi\$6 or broadcast\$4 or deliver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:19
S54	0	(@ad<"20000407" or @rlad<"20000407") and (inform\$4 or send\$4 or sent\$4 or notify\$6 or receiv\$4) near15 (publisher\$1 or (content near provider\$1)) near15 (audienc\$3 or viewer\$1 or subscriber\$1 or receipt\$5) same cost\$4 same (transmi\$6 or broadcast\$4 or deliver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:20

EAST Search History

S55	352	(@ad<"20000407" or @riad<"20000407") and (inform\$4 or send\$4 or sent\$4 or notify\$6 or receiv\$4) near15 (publisher\$1 or (content near provider\$1)) near15 (transmi\$6 or broadcast\$4 or deliver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 13:20
-----	-----	--	---	----	-----	------------------